

Product Discontinuance Notification — PDN # 0000331481

April 21, 2021

Dear Valued Customer:

We would like to inform you that Moxa is planning to discontinue certain products. Please review the detailed information below to determine how these discontinuances will affect your products and/or processes. If you have any questions regarding these changes, please contact the person listed below.

Subject:

The power adapters of some Moxa product series will be phased out and replaced due to Moxa's vendor management policy, as the current manufacturer carries a high risk with regard to product delivery stability. The dimension and the angle of the plug of the replacement power adapter may change. Detail specifications and appearances are listed below:

Service Level: Basic**Effective Date:** July, 2021**Last Buy Date:**

Last-time buy orders must be received before May 31, 2021.

Model Names/ New Models/ Delivery Schedule:

To Be Discontinued		Recommended Replacement Products	
Item	Model Name	Model Name	Delivery Schedule
1	PWR-12050-WPUSJP-S2	PWR-12050-USJP-S2	July, 2021
2	PWR-12050-WPUK-S2	PWR-12050-UK-S2	July, 2021
3	PWR-12050-WPAU-S2	PWR-12050-AU-S2	July, 2021
4	PWR-12050-WPCN-S2	PWR-12050-CN-S2	July, 2021
5	PWR-12050-WPEU-S2	PWR-12050-EU-S2	July, 2021
6	PWR-12050-WPKR-S2	PWR-12050-KR-S2	July, 2021
7	PWR-12050-WPCN-S1	PWR-12050-CN-S1	July, 2021
8	PWR-12050-WPEU-S1	PWR-12050-EU-S1	July, 2021
9	PWR-12050-WPUK-S1	PWR-12050-UK-S1	July, 2021
10	PWR-12050-WPAU-S1	PWR-12050-AU-S1	July, 2021
11	PWR-12050-WPUSJP-S1	PWR-12050-USJP-S1	July, 2021
12	PWR-12050-WPKR-S1	PWR-12050-KR-S1	July, 2021
13	PWR-12125-WPUSJP-S1	PWR-12150-WPUSJP-S2	July, 2021
14	PWR-12125-WPEU-S1	PWR-12150-WPEU-S2	July, 2021
15	PWR-12125-WPUK-S1	PWR-12150-WPUK-S2	July, 2021
16	PWR-12125-WPAU-S1	PWR-12150-WPAU-S2	July, 2021
17	PWR-12125-WPCN-S1	PWR-12150-WPCN-S2	July, 2021
18	PWR-12125-DT-S2	PWR-12150-WPUSJP-S4	July, 2021
		PWR-12150-WPEU-S4	July, 2021
		PWR-12150-WPKR-S4	July, 2021
		PWR-12150-WPCN-S4	July, 2021
		PWR-12150-WPUK-S4	July, 2021
		PWR-12150-WPAU-S4	July, 2021
19	PWR-Plug-USJP-01	PWR-Plug-USJP-02	July, 2021
20	PWR-Plug-EU-01	PWR-Plug-EU-02	July, 2021
21	PWR-Plug-UK-01	PWR-Plug-UK-02	July, 2021
22	PWR-Plug-AU-01	PWR-Plug-AU-02	July, 2021
23	PWR-Plug-CN-01	PWR-Plug-CN-02	July, 2021

Change Description:


The power adapters of some Moxa product series will be phased out and replaced due to Moxa's vendor management policy. The appearance and specifications are listed as below:


Item	PWR-12050-WPUSJP-S2	PWR-12050-USJP-S2
Appearance		
Specifications	Non-locking, 0.5A @ 12VDC	Non-locking, 0.5A @ 12 VDC
Region-specific accessory	US/JP plug type	US/JP plug type
Dimensions	40.5 x 62.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)
Item	PWR-12050-WPUK-S2	PWR-12050-UK-S2
Appearance		
Specifications	Non-locking, 0.5A @ 12VDC	Non-locking, 0.5A @ 12VDC
Region-specific accessory	UK plug type	UK plug type
Dimensions	40.5 x 62.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)

Item	PWR-12050-WPAU-S2	PWR-12050-AU-S2
Appearance		
Specifications	Non-locking, 0.5A @ 12VDC	Non-locking, 0.5A @ 12VDC
Region-specific accessory	AU plug type	AU plug type
Dimensions	40.5 x 62.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)
Item	PWR-12050-WPCN-S2	PWR-12050-CN-S2
Appearance		
Specifications	Non-locking, 0.5A @ 12VDC	Non-locking, 0.5A @ 12VDC
Region-specific accessory	CN plug type	CN plug type
Dimensions	40.5 x 62.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)
Item	PWR-12050-WPEU-S2	PWR-12050-EU-S2
Appearance		
Specifications	Non-locking, 0.5A @ 12VDC	Non-locking, 0.5A @ 12VDC
Region-specific accessory	EU plug type	EU plug type
Dimensions	40.5 x 62.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)

Item	PWR-12050-WPKR-S2	PWR-12050-KR-S2
Appearance		
Specifications	Non-locking, 0.5A @ 12VDC	Non-locking, 0.5A @ 12VDC
Region-specific accessory	KR plug type	KR plug type
Dimensions	40.5 x 62.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)
Item	PWR-12050-WPCN-S1	PWR-12050-CN-S1
Appearance		
Specifications	Locking, 0.5A @ 12VDC	Locking, 0.5A @ 12VDC
Region-specific accessory	CN plug type	CN plug type
Dimensions	40.5 x 64.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)

Item	PWR-12050-WPEU-S1	PWR-12050-EU-S1
Appearance		
Specifications	Locking, 0.5A @ 12VDC	Locking, 0.5A @ 12VDC
Region-specific accessory	EU plug type	EU plug type
Dimensions	40.5 x 64.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)
Item	PWR-12050-WPUK-S1	PWR-12050-UK-S1
Appearance		
Specifications	Locking, 0.5A @ 12VDC	Locking, 0.5A @ 12VDC
Region-specific accessory	UK plug type	UK plug type
Dimensions	40.5 x 64.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)
Item	PWR-12050-WPAU-S1	PWR-12050-AU-S1
Appearance		
Specifications	Locking, 0.5A @ 12VDC	Locking, 0.5A @ 12VDC
Region-specific accessory	AU plug type	AU plug type
Dimensions	40.5 x 64.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)

Item	PWR-12050-WPUSJP-S1	PWR-12050-USJP-S1
Appearance		
Specifications	Locking, 0.5A @ 12VDC	Locking, 0.5A @ 12VDC
Region-specific accessory	US/JP plug type	US/JP plug type
Dimensions	40.5 x 64.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)
Item	PWR-12050-WPKR-S1	PWR-12050-KR-S1
Appearance		
Specifications	Locking, 0.5A @ 12VDC	Locking, 0.5A @ 12VDC
Region-specific accessory	KR plug type	KR plug type
Dimensions	40.5 x 64.0 x 30.0 mm (not including plug)	33.0 x 67.8 x 39.0 mm (not including plug)





Item	PWR-12125-WPUSJP-S1	PWR-12150-WPUSJP-S2
Appearance		
Specifications	Non-locking, 1.25A @ 12VDC	Non-locking, 1.5A @ 12VDC
Region-specific accessory	US/JP plug type	US/JP plug type
Dimensions	43.5 x 74.0 x 35.3 mm (not including plug)	43.5 x 74.0 x 35.3 mm (not including plug)
Item	PWR-12125-WPEU-S1	PWR-12150-WPEU-S2
Appearance	 	
Specifications	Non-locking, 1.25A @ 12VDC	Non-locking, 1.5A @ 12VDC
Region-specific accessory	EU plug type	EU plug type
Dimensions	43.5 x 74.0 x 35.3 mm (not including plug)	39.0 x 80.5 x 56.5 mm (not including plug)


Item	PWR-12125-WPUK-S1	PWR-12150-WPUK-S2
Appearance		
Specifications	Non-locking, 1.25A @ 12VDC	Non-locking, 1.5A @ 12VDC
Region-specific accessory	UK plug type	UK type
Dimensions	43.5 x 74.0 x 35.3 mm (not including plug)	39.0 x 80.5 x 56.5 mm (not including plug)
Item	PWR-12125-WPAU-S1	PWR-12150-WPAU-S2
Appearance		
Specifications	Non-locking, 1.25A @ 12VDC	Non-locking, 1.5A @ 12VDC
Region-specific accessory	AU plug type	AU plug type
Dimensions	43.5 x 74.0 x 35.3 mm (not including plug)	39.0 x 80.5 x 56.5 mm (not including plug)

Item	PWR-12125-WPCN-S1	PWR-12150-WPCN-S2
Appearance	 <p>Technical drawing dimensions for PWR-12125-WPCN-S1 bottom view:</p> <ul style="list-style-type: none"> ①: 25.50±0.2 ②: 12.70 ±0.135 ③: 16 ±0.35 ④: 6.4 ±0.22 ⑤: 15.0 ±0.1 ⑥: R6±1 ⑦: 9±0.15 ⑧: 27.7±0.2 	
Specifications	Non-locking, 1.25A @ 12VDC	Non-locking, 1.5A @ 12VDC
Region-specific accessory	CN plug type	CN plug type
Dimensions	43.5 x 74.0 x 35.3 mm (not including plug)	39.0 x 80.5 x 56.5 mm (not including plug)

Item	PWR-12125-DT-S2	PWR-12150-WPUSJP-S4
Appearance		
Specifications	Locking, 1.25A @ 12 VDC	Locking, 1.5A @ 12VDC
Region-specific accessory	US/JP region with PWC-C7US-2B-183	US/JP plug type
Dimensions		39.0 x 80.5 x 56.5 mm (not including plug)
Item		PWR-12150-WPEU-S4
Appearance		
Specifications		Locking, , 1.5A @ 12VDC
Region-specific accessory	EU region with PWC-C7EU-2B-183	EU plug type
Dimensions		39.0 x 80.5 x 56.5 mm (not including plug)
Item		PWR-12150-WPKR-S4
Appearance		
Specifications		Locking, 1.5A @ 12VDC
Region-specific accessory	KR region with PWC-C7KR-2B-183	KR plug type
Dimensions		39.0 x 80.5 x 56.5 mm (not including plug)

Item		PWR-12150-WPCN-S4
Appearance		
Specifications		Locking, 1.5A @ 12VDC
Region-specific accessory	CN region with PWC-C7CN-2B-183	CN plug type
Dimensions		39.0 x 80.5 x 56.5 mm (not including plug)
Item		PWR-12150-WPUK-S4
Appearance		
Specifications		Locking, 1.5A @ 12VDC
Region-specific accessory	UK region with PWC-C7UK-2B-183	UK plug type
Dimensions		39.0 x 80.5 x 56.5 mm (not including plug)
Item		PWR-12150-WPAU-S1
Appearance		
Specifications		Locking, 1.5A @ 12VDC
Region-specific accessor	AU region with PWC-C7AU-2B-183	AU plug type
Dimensions		39.0 x 80.5 x 56.5 mm (not including plug)

Item	PWR-Plug-USJP-01	PWR-Plug-USJP-02
Appearance		
Dimensions	25.5 x 26.0 x 26.0 mm	33.0 x 32.0 x 28.7 mm
Item	PWR-Plug-EU-01	PWR-Plug-EU-02
Appearance		
Dimensions		38.0 x 32.0 x 48.1 mm
Item	PWR-Plug-UK-01	PWR-Plug-UK-02
Appearance		
Dimensions	48.5 x 40.5 x 36.7 mm	49.4 x 42.3 x 30.6 mm
Item	PWR-Plug-AU-01	PWR-Plug-AU-02
Appearance		
Dimensions		30.8 x 22.0 x 30.5 mm

Item	PWR-Plug-CN-01	PWR-Plug-CN-02
Appearance		
Dimensions	25.5 x 27.7 x 25.0 mm	32.0 x 33.0 x 27.5 mm

Recommended Replacement Products Delivery Schedule:

The new power adapters will be available according to the delivery schedule as indicated in the table on page 2.

Note:

1. If you have any specific demand, please contact your Moxa sales representative before May 31, 2021. Moxa reserves the right to adjust the lead time depending on the product availability.
2. All services (e.g., warranty) still apply to discontinued products.

Note: If you have questions, please contact ray.chen@moxa.com or your regional sales contact.